

ST-14 GA SPLIT STEEL CONDUIT



Primary Uses:

- * Under bridge applications
- * Vandal protection
- * Crush resistant applications
- * Temporary and emergency cable protection
- * Buried/maintenance applications

14 GA Split Steel Advantages:

- * Light weight
- * Galvanized for weather protection
- * Bolts and nuts are stainless steel to reduce corrosion and to help opening
- * One end of the conduit is belled to eliminate the need for a coupling

AVAILABLE SIZES


Part #	Size	OD	ID	Wall	Length	Weight/ft
ST-2.5	2 1/2"	2 5/8"	2 1/2"	14 GA	10'	1.5
ST-4	4"	4 1/8"	4"	14 GA	10'	2.3

OSI PLASTICS

DIVISION OF **OHIO STEEL**
INDUSTRIES

DIVISION OF OHIO STEEL INDUSTRIES
2575 FERRIS RD, COLUMBUS OHIO 43224-2597
PHONE: 614-471-4800 FAX: 614-471-1190
TOLL FREE 1-800-652-2321
www.osiplastics.com

RFS-RIBBED FLANGED STEEL CONDUIT



Primary Uses:

- * Under bridge applications
- * Vandal protection
- * Crush resistant applications
- * Temporary and emergency cable protection
- * Buried/maintenance applications

Ribbed Flanged Split Steel Advantages:

- * Relatively light weight
- * Galvanized for weather protection
- * Bolts and nuts are stainless steel to reduce corrosion and to help opening
- * Lighter weight than split hinged steel conduit, which makes handling easier
- * Due to manufacturing method, ribs increase strength of conduit over round designs
- * Due to manufacturing method, more sizes are available.
- * Increased capacity

AVAILABLE SIZES

Part #	Size	OD	Nom. ID	Wall	Length	Nom. Weight/ft
RFS-3	3"	3.500"	3.300"	.100"	10'	5.5
RFS-4	4"	4.500"	4.300"	.100"	10'	6.5
RFS-5	5"	5.563"	5.363"	.100"	10'	8.0
RFS-6	6"	6.625"	6.425"	.100"	10'	9.0

OD of conduit is to IPS standards. Flanged, oversized sleeves are available. Other sizes are also available on request.

OSI PLASTICS

DIVISION OF OHIO STEEL
INDUSTRIES

DIVISION OF OHIO STEEL INDUSTRIES
2575 FERRIS RD, COLUMBUS OHIO 43224-2597
PHONE: 614-471-4800 FAX: 614-471-1190
TOLL FREE 1-800-652-2321
www.osiplastics.com

SHS - SPLIT/HINGED STEEL CONDUIT



Primary Uses:

- * Under bridge applications
- * Vandal protection
- * Crush resistant applications
- * Temporary and emergency cable protection

Hinged Split Steel Advantages

- * Hinged operation speeds up opening and closing the duct for faster access
- * The hinge eliminates the bolts on one side and keeps duct in place while work is being done on cables
- * Hinge pins helps opening conduit
- * Galvanized for weather protection
- * Bolts and nuts are hot dipped galvanized steel to reduce corrosion and to help opening

AVAILABLE SIZES

Part #	Size	OD	Nom. ID	Wall	Length	Nom. Weight/ft
SHS-3	3"	3.500"	3.068"	.216"	10'	8.0
SHS-4	4"	4.500"	4.026"	.237"	10'	11.0
SHS-5	5"	5.563"	5.047"	.258"	10'	15.0
SHS-6	6"	6.625"	6.065"	.280"	10'	19.0

Other sizes are also available upon request.

1 coupling is included with each piece of conduit. Coupling is flanged and bolted.

OSI PLASTICS

DIVISION OF OHIO STEEL
INDUSTRIES

DIVISION OF OHIO STEEL INDUSTRIES

2575 FERRIS RD, COLUMBUS OHIO 43224-2597

PHONE: 614-471-4800 FAX: 614-471-1190

TOLL FREE 1-800-652-2321

www.osiplastics.com